

MERCEDES USER MANUAL (CX16 WDT)

KEYS- thinnest key used to unlock and lock coach whilst also twisting the black dial to the left to unlock and to the right to lock.

Getting in- Then pushing the black button near the dial to open and close the door.

Power- There is no power switch on this coach.

Heat/Aircon- the heater /aircon control panel is located to the left of the steering wheel, the two dials are for driver heat and air flow direction (see chart) to control the passenger settings button **21** is for pax temp so select this the use button **22** to adjust and for fan speed use **19** then again **22** to adjust.

15 turns on air conditioning, **18** is the webasto heater.

Microphones- two fitted one is near the front door ensure both radios are on and once mic is switched on should work, second mic is on driver seat button on dash to right of steering wheel is used to switch on then mic should work.

Boiler- to top up boiler open locker door here you will find a wheeled water storage container please remove hose connection before taking off the coach to top up and be sure to reconnect once fitted back in the coach. Back onboard the coach ensure switch is on (see chart) go to the middle and push the silver button located near the tap hot water will slowly start to feed through may take some time to heat up. **Issues** sometimes the pipes can get air locks go back to the locker disconnect hose and blow into them to try and eliminate any air locks

Boiler Winter Prep – to prevent damage in winter due to cold weather please drain the boiler. Unclip the hose connector in the locker then go back inside to drain the water until empty.

Toilet- open locker near the middle door here you will find a silver lever turn this lever to drop the toilet and use the hose connectors to top up flush water and sink water levels.

Spare Belts- front offside ski locker

Triangle- front offside ski locker

Batteries- Rear nearside ski locker along with main kill switch

Oil/ water/coolant – oil water and coolant are in the main locker as well as winter kit.

Fuses- Rear offside ski locker

Spare bulbs-



- | | |
|------------------------|--|
| 1. N/A | 13. Driver air flow direction |
| 2. Sunblind nearside | 14. Driver Temp control |
| 3. Sunblind offside | 15. Driver Aircon |
| 4. Dash info selection | 16. Passenger webasto/aircon |
| 5. N/A | 17. Inside Air Recycle |
| 6. N/A | 18. Webasto |
| 7. Tracker | 19. Passenger fan selection 22 to adjust |
| 8. Gear | 20. Heater timer |
| 9. Radio | 21. Passenger temp control 22 to adjust |
| 10. DVD | 22. Passenger Heat/fan adjustment |
| 11. Air recycle | |
| 12. Driver fan speed | |



23. Driver overhead light

24. Reading lights (down all on up individual)

25. Main lights (down bright up dim)

26. Door light

27. Traction control

28. Distance sensor

29. Assistance/stop

30. Air horn

31. Boiler/urn

32. Toilet

33. Hazards

34. Roof hatch

35. Roof hatch

36. Front door

37. Middle door

38. CCTV screen

39. Tachograph

(roof hatches push up to open hatches and push down to close hatches)



40. Override door switch

(move with door open)

41. Halt break

42. Ferry lift

43. Ferry lift reset

44. Assistance/stop

45. regeneration

46. USB

47. USB

48. Driver mic

49. DVD Screens

50. Locker lock/unlock (lights on=unlocked)

51. Locker lock/unlock (lights on=unlocked)

52. Lane assist/Distance assist

53. Driver floor heater

54. Lights Clean jets

55. Driver window

56. Mirror adjustments

57. Main lights



58. steering wheel control on column